
# Product data sheet






**Suitable for storing the following hazardous substances:**



**Order No.** 31009-070-30049
**Recommended retail price (Germany)** 2.368,00 € - carriage paid*

**Safety storage cabinet Q-CLASSIC-30 Model Q30.195.086.WDR**
Body colour anthracite grey, with wing door in Pure white (RAL 9010), interior equipment with 3 x shelf, 1 x bottom collecting sump (stainless steel 1.4301)

**Certification**

- Fire resistance 30 minutes
- type tested in accordance with EN 14470-1
- DIN EN 16121/16122 conformity
- CE compliant

**Function / construction**

- **Robust construction and longevity:** triple hinged door, cabinet body made of melamine resin and flame retardant special plates, safety elements assembled outside the storage compartment for increased protection against corrosion, doors with metal front as well as scratch-and impact-resistant surface, easy to clean
- **Easy handling with comfort:** door stops in any position, self-closing in the event of fire
- **No unauthorised use:** door lockable with profile cylinder (integration in an existing locking system possible)
- **Easy transport:** integrated transport base with removable, optional base cover or adjusting aids with base cover
- **Ventilation:** integrated air ducts ready for connection (DN 75) to a technical exhaust system



asecos GmbH
Weiherfeldsiedlung 16–18
63584 Gründau
info@asecos.com

# Product data sheet

**Technical Data**


| | |
|---|---|
| External dimensions W x D x H | 864 x 620 x 1947 mm |
| Internal dimensions W x D x H | 750 x 519 x 1626 mm |
| Extraction air connection | 75 DN |
| Number of storage levels | 3 piece |
| CE compliant | Yes |
| Differential pressure (10 times air change EK5/AK4) | 10 Pa |
| ecl@ss 14.0 | 40-06-01-09 |
| Entry width transport base | 1.088 mm |
| Entry height transport base | 90 mm |
| Fire resistance level | 30 minutes |
| FM 6050 approved | No |
| Depth with open doors | 1.394,00 mm |
| GTIN | 4054923089792 |
| GS certified | No |
| Minimum exhaust air quantity 10 times | 6 m³/h |
| Net weight configuration | 208,50 kg |
| According to standard | EN 14470-1 |
| According to standard | EN 16121/16122 |
| Max. load of shelves | 75.00 kg |
| Automatic door closing system | No |
| Door open arrest system | No |
| Door opening angle | 90 ° |
| UNSPSC code | 24112402 |
| Capacity of bottom collecting sump | 22.00 litres |
| Customs tariff number | 94032080 |
| Weight | 220,5 kg |
| Material of storage levels | stainless steel |

**To the product finder** **To the flip catalogue** **To asecos.com**



asecos GmbH
Weiherfeldsiedlung 16–18
63584 Gründau
info@asecos.com

# Product data sheet






asecos GmbH
Weiherfeldsiedlung 16–18
63584 Gründau
info@asecos.com