

Product data sheet

Order No. 30849-040-30850

Recommended retail price

Cabinet for chemicals incl. type 30 safety box CS-CLASSIC-GF Model CS.195.105.F.WDFW


Body colour anthracite grey (RAL 7016), with glass-paneled wing doors in warning yellow (RAL 1004), interior equipment with 2 x shelf, 1 x perforated insert, 1 x bottom collecting sump (sheet steel galvanised)

Certification

- DIN EN 16121/16122 conformity

Function / construction

- **Robust construction and longevity:** robust, high-quality, scratch-resistant outer body with powder-coated textured surface
- **No unauthorised use:** doors lockable with cylinder locking (integrated in the turning handle)
- **Easy alignment:** adjusting aids to compensate for uneven floor
- **Type 30 safety box:** for proper storage of flammable hazardous materials in work rooms, according to EN 14470-1 (type 30) and TRGS 510, 2 self-closing hinged doors, bottom collecting sump, powder-coated steel with 8.5 litres volume and exhaust air connection (DN 75) for technical ventilation of the safety box



Suitable for storing the following hazardous substances:



Product data sheet

Technical Data

External dimensions W x D x H	1055 x 520 x 1950 mm
Internal dimensions W x D x H	995 x 495 x 1835 mm
Net weight configuration	172,50 kg
Fire resistance level	No fire resistance
CE compliant	No (0)
GS certified	No (0)
According to standard	EN 16121/16122
Automatic door closing system	No (0)
Door open arrest system	No (0)
Extraction air connection	75 DN
Minimum exhaust air quantity 10 times	9 m ³ /h
Number of storage levels	3 piece
Max. load of shelves	100.00 kg
Max. load of perforated insert	60.00 kg
Capacity of bottom collecting sump	27.00 litres
ecl@ss 14.0	40-06-01-03
UNSPSC code	24112402
Customs tariff number	94032080
GTIN	4054923057753

[To the product finder](#)[To the flip catalogue](#)[To asecos.com](#)

Product data sheet