

# Product data sheet

Order No. 30849-050-30858

Recommended retail price

**Cabinet for chemicals incl. type 30 safety box CS-CLASSIC-GF Model CS.195.105.F.WDFW**


Body colour anthracite grey (RAL 7016), with glass-paneled wing doors in Pure white (RAL 9010), interior equipment with 3 x pull-out shelf (sheet steel/ polypropylene powder-coated)

**Certification**

- DIN EN 16121/16122 conformity

**Function / construction**

- **Robust construction and longevity:** robust, high-quality, scratch-resistant outer body with powder-coated textured surface
- **No unauthorised use:** doors lockable with cylinder locking (integrated in the turning handle)
- **Easy alignment:** adjusting aids to compensate for uneven floor
- **Type 30 safety box:** for proper storage of flammable hazardous materials in work rooms, according to EN 14470-1 (type 30) and TRGS 510, 2 self-closing hinged doors, bottom collecting sump, powder-coated steel with 8.5 litres volume and exhaust air connection (DN 75) for technical ventilation of the safety box



Suitable for storing the following hazardous substances:



# Product data sheet

## Technical Data

External dimensions W x D x H	1055 x 520 x 1950 mm
Internal dimensions W x D x H	995 x 495 x 1835 mm
Net weight configuration	192,50 kg
Fire resistance level	No fire resistance
CE compliant	No (0)
GS certified	No (0)
According to standard	EN 16121/16122
Automatic door closing system	No (0)
Door open arrest system	No (0)
Extraction air connection	75 DN
Minimum exhaust air quantity 10 times	9 m³/h
Number of storage levels	3 piece
Max. load of drawers	30 kg
Volume of pull-outs	33.00 litres
Total storage capacity of 1 L laboratory glass bottles	96 piece
Total storage capacity of 1 L laboratory PE bottles	96 piece
Total storage capacity of 2.5 L laboratory glass bottles	36 piece
ecl@ss 14.0	40-06-01-03
UNSPSC code	24112402
Customs tariff number	94032080
GTIN	4054923058378

[To the product finder](#)
[To the flip catalogue](#)
[To asecos.com](#)

# Product data sheet