

# Product data sheet

Order No. 30657-005-30658

Recommended retail price £5,329.00 - behind first door<sup>2</sup>

## Gas cylinder cabinet G-ULTIMATE-90 Model G90.205.120

laboratory white (sim. RAL 9016), interior equipment with 1 x standard interior equipment gas cylinders (sheet steel galvanised and powder-coated)

### Certification

- Fire resistance 90 minutes
- type tested in accordance with EN 14470-2
- DIN EN 16121/16122 conformity
- GS certified
- CE compliant

### Function / construction

- **Robust construction and longevity:** body made of powder-coated sheet steel
- **No unauthorised use:** doors lockable with profile cylinder (integration in an existing locking system possible)
- **Easy alignment:** adjusting aids to compensate for uneven floor
- **Easy mounting of connecting pipes and gas fittings:** large interior height (1890 mm), many lead-through possibilities on the top of the cabinet
- **Tested and certified:** according to the stricter GS principles



Suitable for storing the following hazardous substances:



# Product data sheet

## Technical Data

External dimensions W x D x H	1198 x 615 x 2050 mm
Internal dimensions W x D x H	1045 x 400 x 1858 mm
Depth with open doors	1,238.00 mm
Net weight configuration	608.50 kg
Fire resistance level	90 minutes
CE compliant	yes (1)
GS certified	yes (1)
According to standard	EN 14470-2
According to standard	EN 16121/16122
Automatic door closing system	No (0)
Door open arrest system	No (0)
Door opening angle	180 °
Extraction air connection	75 DN
Differential pressure (10 times air change EK5/AK4)	5 Pa
Differential pressure (120 times air change EK5/AK4)	103 Pa
Minimum exhaust air quantity 10 times	8 m³/h
Minimum exhaust air quantity 120 times	93 m³/h
Number of storage levels	1 piece
50-liter compressed gas cylinders	4 piece
ecI@ss 14.0	40-06-01-11
UNSPSC code	24112402
Customs tariff number	94032080
GTIN	4054923075122

[To the product finder](#)
[To the flip catalogue](#)
[To asecos.com](#)

# Product data sheet

