


Product data sheet



Suitable for storing the following hazardous substances:



Order No. 30465-001-33769

Recommended retail price

Safety storage under bench cabinet UB-T-90 Model UB90.060.089.050.2T
light grey (RAL 7035), interior equipment with 1 x perforated insert, 1 x bottom collecting sump (sheet steel powder-coated)

Certification

- Fire resistance 90 minutes
- type tested in accordance with EN 14470-1
- DIN EN 16121/16122 conformity
- GS certified
- CE compliant

Function / construction

- **Robust construction and longevity:** body made of powder-coated sheet steel
- **Easy handling with comfort:** doors stop in any position, self-closing in the event of fire
- **User-friendly:** access to all containers, 93° opening of the wing door, interior of the cabinet completely visible
- **No unauthorised use:** doors lockable with cylinder lock and locking state indicator (red/green)
- **Mobile:** castors with plinth (optionally available), easy moving of the cabinet
- **Ventilation:** integrated air ducts ready for connection (DN 50) to a technical exhaust system

Product data sheet

Technical Data

External dimensions W x D x H	893 x 502 x 600 mm
Internal dimensions W x D x H	771 x 382 x 502 mm
Depth with open doors	920,00 mm
Net weight configuration	138,00 kg
Fire resistance level	90 minutes
CE compliant	yes (1)
GS certified	yes (1)
According to standard	EN 14470-1
According to standard	EN 16121/16122
UL 1275 listed	no
Automatic door closing system	No (0)
Door open arrest system	No (0)
Door opening angle	93 °
Extraction air connection	50 DN
Differential pressure (10 times air change EK5/AK4)	1 Pa
Minimum exhaust air quantity 10 times	1 m³/h
Number of storage levels	1 piece
Max. load of perforated insert	75.00 kg
Capacity of bottom collecting sump	16.50 litres
Total storage capacity of 1 L laboratory glass bottles	21 piece
Total storage capacity of 1 L laboratory PE bottles	21 piece
Total storage capacity of 2.5 L laboratory glass bottles	10 piece
ecl@ss 14.0	40-06-01-04
UNSPSC code	24112402
Customs tariff number	94032080
GTIN	4054923137820

[To the product finder](#)
[To the flip catalogue](#)
[To asecos.com](#)

Product data sheet

