
Product data sheet





Order No. 30673-001-30674
Recommended retail price

Gas cylinder cabinet G-CLASSIC-30 Model G30.205.090
light grey (RAL 7035), interior equipment with 1 x standard interior equipment gas cylinders (sheet steel galvanised and powder-coated)

Certification

- Fire resistance 30 minutes
- type tested in accordance with EN 14470-2
- DIN EN 16121/16122 conformity
- CE compliant

Function / construction

- **Robust construction and longevity:** body made of powder-coated sheet steel
- **No unauthorised use:** doors lockable with profile cylinder (integration in an existing locking system possible)
- **Easy alignment:** adjusting aids to compensate for uneven floor
- **Easy mounting of connecting pipes and gas fittings:** large interior height (1890 mm), many lead-through possibilities on the top of the cabinet
- **Ventilation:** integrated air ducts ready for connection (DN 75) to a technical exhaust, even ventilation inside the cabinet

Suitable for storing the following hazardous substances:



asecos GmbH
Weiherfeldsiedlung 16–18
63584 Gründau
info@asecos.com

Product data sheet


Technical Data

External dimensions W x D x H	898 x 616 x 2050 mm
Internal dimensions W x D x H	794 x 479 x 1874 mm
Extraction air connection	75 DN
Number of storage levels	1 piece
CE compliant	Yes
Differential pressure (10 times air change EK5/AK4)	5 Pa
50-liter compressed gas cylinders	3 piece
ecl@ss 14.0	40-06-01-11
Fire resistance level	30 minutes
Depth with open doors	1.051,00 mm
GTIN	4054923056619
GS certified	No
Minimum exhaust air quantity 10 times	7 m³/h
Minimum exhaust air quantity 120 times	86 m³/h
Net weight configuration	385,50 kg
According to standard	EN 14470-2
According to standard	EN 16121/16122
Automatic door closing system	No
Door open arrest system	No
Door opening angle	180 °
UNSPSC code	24112402
Customs tariff number	94032080
Weight	400 kg
Material of storage levels	sheet steel

To the product finder | To the flip catalogue | To asecos.com

asecos GmbH
Weiherfeldsiedlung 16–18
63584 Gründau
info@asecos.com

Product data sheet



asecos GmbH
Weiherfeldsiedlung 16–18
63584 Gründau
info@asecos.com