

# Product data sheet

Order No. 32925-050-30516

Recommended retail price



## Recirculating air filter storage cabinet CX-CLASSIC-G Model CX.229.105.WDFW

Body colour anthracite grey (RAL 7016), with glass-paneled wing doors in Pure white (RAL 9010), interior equipment with 4 x pull-out shelf (sheet steel/ polypropylene powder-coated)

### Certification


- DIN EN 16121/16122 conformity
- CE compliant

### Function / construction

- **Robust construction and longevity:** robust, high-quality, scratch-resistant outer body with powder-coated textured surface
- **No unauthorised use:** doors lockable with cylinder locking (integrated in the turning handle)
- **Easy alignment:** adjusting aids to compensate for uneven floor

### Recirculating air filter module

- Ideal for the direct installation in working areas – very low noise, only approx. 39 dB (A)
- With multi-stage wideband filter
- Monitoring electronics for extraction incl. cool-device cable and power plug
- Optical and acoustical alarm including potential-free alarm contact
- Display with innovative touch panel
- Manual check of the filter saturation



Suitable for storing the following hazardous substances:



# Product data sheet

## Technical Data

External dimensions W x D x H	1055 x 520 x 2290 mm
Internal dimensions W x D x H	996 x 493 x 1835 mm
Depth with open doors	1.026,00 mm
Net weight configuration	181,50 kg
Fire resistance level	No fire resistance
CE compliant	yes (1)
GS certified	No (0)
According to standard	EN 16121/16122
Automatic door closing system	No (0)
Door open arrest system	No (0)
Door opening angle	110 °
Nominal Power Consumption	120 W
Power consumption in standby mode	50 W
Maximum current consumption	0,5 A
Nominal voltage	230 V
Frequency	50 Hz
Number of storage levels	4 piece
Max. load of drawers	30 kg
Volume of pull-outs	33.00 litres
Total storage capacity of 1 L laboratory glass bottles	128 piece
Total storage capacity of 1 L laboratory PE bottles	128 piece
Total storage capacity of 2.5 L laboratory glass bottles	48 piece
ecl@ss 14.0	40-06-01-03
UNSPSC code	24112402
Customs tariff number	94032080
GTIN	4054923109049
Coupled doors (one-handed operation)	No (0)

[To the product finder](#)
[To the flip catalogue](#)
[To asecos.com](#)

# Product data sheet

